

Leica Rugby 200  
Universal Construction Laser  
Tough Inside and Out



- when it has to be **right**

**Leica**  
Geosystems

# Rugby Keeps You in the Game



Work confidently with the Rugby 200 Laser from Leica Geosystems – Horizontal and vertical self-leveling, highly accurate with 90° split-beam, adjustable head speeds, scan mode and full function remote control.

The Rugby 200 is the new Leica branded laser built from the combined heritage and expertise of Laser Alignment and Leica Geosystems. Like the Rugby 100 series laser, the Rugby 200 is a new breed of laser that sets the industry standard for durability and value. Rugged and reliable, the Rugby 200's ergonomic, structural, and performance features add up to the best interior and exterior construction laser in the market today.



The Rugby 200 is a horizontal and vertical self-leveling laser for interior and general construction jobs of any size, large or small. Use it many different ways, including:

- Installing ceiling grids
- Installing and laying out walls
- Installing raised access floors
- Transferring points from floor to ceiling
- Setting window supports
- Exterior site preparation
- Checking grade
- Concrete forming, pad placement
- Setting foundations and footings

## Why Rugby is the toughest player on the field

- Waterproof and dustproof to work reliably in all weather and job site conditions
- Housing made from co-molded rubber and high-impact plastic
- Wide, stable aluminum base for maximum strength and stability
- The head is completely enclosed to protect the crucial interior parts
- Rugged, high-impact carrying case included
- 24 month exclusive knockdown warranty

## Lay-down Attachment

Removable laydown foot provides a solid, three-point support for stability without any external hardware.

**Leica Geosystems' warranty offers complete coverage of the internal self-leveling system no matter what. Should any accident or knockdown occur, all repairs to the internal assembly will be done at no charge.**

## Special Applications



Rugby 200 with mounting bracket



Rugby 200 with Rod-Eye Sensor in a lay-down position



### Beam-down Positioning

Set-up over a control point on the floor is a snap. A simple button push rotates and positions the laser beam straight down for quick positioning over a control point.



**Recommended general construction package consists of:**

- Standard carrying case
- Rugby 200 laser
- Rod-Eye Sensor with bracket
- NiMH battery pack
- NiMH battery charger

**Full featured professional package consists of:**

- Rugby 200
- Interior carrying case with foam inserts
- Wall mount bracket
- Ceiling grid targets (2)
- Full-function IR remote control
- Rechargeable NiMH battery pack and charger

**Easy to Learn - Easy to Use**

The professional's choice for fast, reliable and accurate laser leveling, indoors or outdoors.

- The keypad is easy to understand with the features clearly indicated
- Self-leveling accuracy of  $\pm 1/16''$  at 100 feet ( $\pm 1.5 \text{ mm @ } 30 \text{ m}$ )
- H.I. elevation alert
- Automatic/manual modes with manual grade
- Enclosed and protected rotating head with selectable head speeds and scan mode
- Infrared remote control compatible
- Bright, highly visible beam
- Available with the rechargeable NiMH battery pack or alkaline battery pack
- Waterproof to IPX-6 standard



**Specifications**

Working Range	Up to 1000 feet (300 m) with sensor
Self-leveling Accuracy	$\pm 1/16''$ @ 100 feet ( $\pm 1.5 \text{ mm @ } 30 \text{ m}$ )*
Self-leveling Range	$\pm 5^\circ$
Rotating Speeds	0, 1, 2, 5, 10 rps
Scan Modes	10°, 45°, 90°, 180°
Battery Types	Alkaline / NiMH options
Battery Life	50 hours with alkaline batteries, 30 hours with rechargeable NiMH batteries**
Laser Diode	635 nm visible laser diode
Dimensions (Height x Width x Depth)	7.8 x 9.8 x 6.9 inches (197 x 248 x 175 mm)
Operating Temperature	-4°F to +122°F (-20°C to +50°C)
Weight	6.5 lb (2.95 kg) w/batteries
Environmental	Waterproof to IPX-6 standard

**Infrared Remote Specifications**

Range	Up to 130 feet (40 m)
Battery Operation (3V Lithium)	5 Years Nominal

\* From 23°F to 95°F (-5°C to 35°C). Accuracy is derated outside this range  
 \*\* Battery life is dependant upon environmental conditions



**Leica Rugby 200... Tough, Inside and Out**

Whether you have to precisely stake out a construction site, perform control measurements, collect height and angle data, align concrete forms, install ceilings and partitions, lay gravity flow pipe, locate underground services or complete site preparation and earthworks – Leica Geosystems offers the right instrument, construction laser or machine control installation specifically designed for your construction application.

Easy-to-use, jobsite tough, accurate and reliable – Leica Geosystems instruments and lasers ensure the efficient use of your materials and resources. High quality products, such as optical and electronic levels, construction lasers, total stations and machine automation systems, provide fast results, keep you working and increase your profitability.

**When it has to be right.**

Illustrations, descriptions and technical specifications are not binding and may change.  
Printed in Switzerland – Copyright Leica Geosystems AG, Heerbrugg, Switzerland, 2006.  
732056en – III.06 – RDV



**Total Quality Management –  
Your commitment to total  
customer satisfaction**  
Ask our local Leica Geosystems  
dealer for more information about  
our TQM program.

Art. no. 746718  
Model no. 255-  
Laser class 3R in accordance  
with IEC60625-1 resp. EN60825-1

Art. no. 737484  
Model no. 250-  
Laser class IIIa in accordance  
with FDA 21CFR CH.1 § 1040



Art. no. 732001  
Model no. 200-  
Laser class 2 in accordance  
with IEC 60825-1 resp. EN 60825-1  
Laser class II in accordance  
with FDA 21CFR CH.1 § 1040



**Leica Geosystems AG**  
Heerbrugg, Switzerland  
[www.leica-geosystems.com](http://www.leica-geosystems.com)



- when it has to be **right**

**Leica**  
Geosystems